






## Dolcem



## **PHTHALATE** free

Exzellente Abriebfestigkeit / Resistencia a la abrasión / Resistance a l'abrasion / Abrasion resistant / Resistenza all'abrasione / Doskonała odporność na ścieranie

Wasserabweisend/Impermeabilidad/Imperméabilité/Impermeability/Impermeabilità/
Wodoodporny

Lichtechtheit / Durabilidad del color a la luz / Résistance à la lumière / UV resistant / Resistenza raggi solari / Odporny na promieniowanie UV

Kältebruchresistent/Resistenciaabajastemperaturas/Résistanceauxbassestempératures/Lowtemp.resistant/Resistenzaallarotturadafreddo/Odpornynaniskietemperatury

Antimikrobiellausgerüstet/Resistenciaamicroorganismos/Protectioncontredesmicro-organismes/Mildew resistant / Antimuffa / Odporny na pleśń

Einfache Reinigung/Fácillimpieza/Facilité d'entretien/Easytoclean/Facile dapulire/ Łatwy do czyszczenia


Flammhemmendausgerüstet/Retardanciaalfuego/Retardementaufeu/Flameretardant/Ritardanza al fuoco / Produkt uniepalniony

Chemikalienbeständig\*/Resistenciaaquímicos\*/Résistanceauxproduitschimiques\*/Chemical resistant\* / Resistenza chimica\* / Odporny na chemikalia\*

\*Bitte anfragen / Pregunte por asesoría / Sur demande / Upon request / Si prega d'informarsi / na życzenie

DOL-6728 BLACK

## **PHTHALATE** free DOL-6701 DOL-6702 DOL-6703 DOL-6704 DOL-6706 DOL-6708 A WHITE LATTE MUSHROOM **IVORY ECRU** DUNE DOL-6729 DOL-6730 DOL-6736 DOL-6732 DOL-6733 DOL-6731 MISTGREY NEW! NEW! NEW! **PEWTER** NEW! RATTAN POMACE LIMELIGTH NEW! **MANGO** NEW!



DOL-6734

QUETZAL **NEW!** 

DOL-6723

**PEACOCK** 

A

DOL-6724

JET

No Master samples (not suitable for colour matching and quality control / testing purposes).

Commercially acceptable colour shifts may occur between production runs. As such lot separation is recommended.

Colour also available in higher flame resistant quality that meets BS 5852 Crib 5 (GB), NF P 92-502 / M2 (FR), UNI 9175 I/M (IT), DIN 4102 B2 (DE) (article code DBS-XXXX)

All SPRADLING® products and services are offered and sold subject to the SPRADLING® General Terms and Conditions of Sale, available for download under www.spradling.eu. Please follow our manufacturing and maintenance guidelines, also available under www.spradling.eu. In the event of failure to comply with these guidelines, no liability is assumed by the manufacturer and any warranty claim(s) (if applicable) expire.



DOL-6722

**GRASS** 

DOL-6737

COOLMIST NEW!

DOL-6735

NEW!

SLATE



## **PHTHALATE** free








DOL-6712 **MOCHA** 



DOL-6726 **ARTESIAN** 



DOL-6714 **BURGUNDY** 



DOL-6713 CHOCOLATE



DOL-6711 **RUSSET** 



DOL-6727 **METEOR** 



DOL-6719 **POPPY** 



A

DOL-6717 MOSS





DOL-6725 **INDIGO** 



A

DOL-6728 **BLACK** 

Click here to see the product technical specifications



No Master samples (not suitable for colour matching and quality control / testing purposes). Commercially acceptable colour shifts may occur between production runs. As such lot separation is recommended.

Colour also available in higher flame resistant quality that meets BS 5852 Crib 5 (GB), NF P 92-502 / M2 (FR), UNI 9175 I/M (IT), DIN 4102 B2 (DE) (article code DBS-XXXX)

All SPRADLING® products and services are offered and sold subject to the SPRADLING® General Terms and Conditions of Sale, available for download under www.spradling.eu. Please follow our manufacturing and maintenance guidelines, also available under www.spradling.eu. In the event of failure to comply with these guidelines, no liability is assumed by the manufacturer and any warranty claim(s) (if applicable) expire.







COATED FABRICS

WWW.SPRADLING.EU